SANASTURE PVC Wall Panels



www.panastone.com.tr

PANASTONE DUVAR PANELLERI

PANASTONE WALL PANELS





Dimesions: 1220x2800 mm (Other lenghts upon request)

Thickness: 2.80 mm www.panastone.com.tr

PANASTONE DUVAR PANELLERI

PANASTONE WALL PANELS





Ölçüler: 1220x2800 mm (Diğer ölçüler talep üzerine)

Kalınlık: 2.80 mm www.panastone.com.tr

UYGULAMA ALANLARI

APPLICATION AREAS








ALÜMİNYUM PROFILLER

ALUMINIUM PROFILES



Panastone bir Soytaş Group markasıdır. / Panastone is a Soytaş Group brand.

TEL: +90 212 858 22 22 www.panastone.com.tr www.soytasgroup.com info@soytasgroup.com









Üretici Firma *Manufacturer*

PanaSPC, üstün teknolojiyle üretilmiş, kompozit bir zemin kaplamasıdır. Aşınmaya karşı direnç gösterir. Suya ve neme karşı dayanıklıdır. Bu özellikleriyle ıslak mekanlar ve diğer zeminler için mükemmel bir tercihtir. PanaSPC, uzun ömürlü kullanım ve yüksek performans sunarak, hem evlerde hem de ticari alanlarda daha az bakım ve daha fazla konfor sağlar.

PanaSPC is a composite flooring material produced with advanced technology. It offers resistance to abrasion, water, and moisture. These properties make it an excellent choice for wet areas and other flooring applications.


PanaSPC provides long-lasting performance and durability, offering minimal maintenance and enhanced comfort in both residential and commercial spaces.








THINKING ABOUT NATURE EARTH WON'T WAIT. NEITHER WILL WE.




Panaspc use the top quality calcium carbonate & polivinly chloride in the production of SPC floor and wall panel, they are %100 virgin material.

TECNICAL SPECIFICATION

© ✓ ∧	Total thickness 3.00MM
° ∨	Wear layer thickness 0.30MM
	Slip resistance R9
	Antibacterial
	Pet-friendly Pass
	Phthalate Free
	Formaldehyde Free
	Fire Resistance
· ===	Thermal Resistance
	Natural Stone Finish
	Super Matte
	Recyclable
	Lead Free
	Cadmium Free
(CO2)	Produced Using Renewable Solar Energy

























Concrete Grey

Code: SPC 102

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)

Thickness: 3.00 MM

Wear Layer Thickness:





Concrete Dark

Code: **SPC 103**

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)

Thickness: 3.00 MM

Wear Layer Thickness:









Concrete Sandstone

Code: SPC 104

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)

Thickness: 3.00 MM

Wear Layer Thickness:





Carrara Marble

Code: **SPC 201**

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)

Thickness: 3.00 MM

Wear Layer Thickness:









Nero Marquina

Code: **SPC 203**

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)

Thickness: 3.00 MM

Wear Layer Thickness:









Travertine

Code: SPC 301

Dimension: 600X1200 MM 1200X2800 MM

(Other lenghts upon request)


Thickness: 3.00 MM

Wear Layer Thickness:





CONTACT US





+90 212 858 22 22

