

SPC WALL PANEL COLLECTION

Üretici Firma

Manufacturer

PanaSPC, üstün teknolojiyle üretilmiş, kompozit bir zemin kaplamasıdır. Aşınmaya karşı direnç gösterir. Suya ve neme karşı dayanıklıdır. Bu özellikleriyle ıslak mekanlar ve diğer zeminler için mükemmel bir tercihtir. PanaSPC, uzun ömürlü kullanım ve yüksek performans sunarak, hem evlerde hem de ticari alanlarda daha az bakım ve daha fazla konfor sağlar.

PanaSPC is a composite flooring material produced with advanced technology. It offers resistance to abrasion, water, and moisture. These properties make it an excellent choice for wet areas and other flooring applications. PanaSPC provides long-lasting performance and durability, offering minimal maintenance and enhanced comfort in both residential and commercial spaces.



**THINKING ABOUT NATURE EARTH
WON'T WAIT. NEITHER WILL WE.**



Panaspc use the top quality calcium carbonate & polivinly chloride in the production of SPC floor and wall panel, they are %100 virgin material.

TECNICAL SPECIFICATION



Total thickness 3.00MM



Wear layer thickness 0.30MM



Slip resistance R9



Antibacterial



Pet-friendly Pass



Phthalate Free



Formaldehyde Free



Fire Resistance



Thermal Resistance



Natural Stone Finish



Super Matte



Recyclable



Lead Free




Cadmium Free



Produced Using Renewable Solar Energy





UV Coating

It provides an extra matte and luxurious look to the surface

Wear Layer

Provides surface resistance to scratches and abrasion

Decor Film


High-resolution pattern overlay produced with superb clarity


SPC Core

*The rigid core that forms the structure of PanaSPC
(Eco-friendly, lead-free and produced with green energy)*



Green Energy
natural power
technologies





Concrete Light

Code: **SPC 101**

Dimension:

600X1200 MM


1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM





Concrete Grey

Code: **SPC 102**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr



Concrete Dark

Code: **SPC 103**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)


Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr





Concrete Sandstone

Code: **SPC 104**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr



Carrara Marble

Code: **SPC 201**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:

0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr





Pietra Light

Code: **SPC 202**

Dimension:

600X1200 MM

1200X2800 MM


(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr



Nero Marquina

Code: **SPC 203**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:

0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr





Travertine

Code: **SPC 301**

Dimension:

600X1200 MM

1200X2800 MM

(Other lengths upon request)

Thickness: **3.00 MM**

Wear Layer Thickness:
0.30 MM

PANASPC
Durable Wall and Floor Covering

www.panaspc.com.tr



CONTACT US



www.soytasgroup.com

www.panaspc.com.tr



+90 212 858 22 22



info@soytasgroup.com